

**Sustainability Project**  
**Legumi.net<sup>®</sup> – Yousustain.net<sup>®</sup>**  
**Horta - Andriani – Terre Bradaniche**

**Description**

**Crop year 2019**



**20 December 2019**

**HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



**Legumi.net® is an interactive web tool for the cultivation of grain legumes (in particular chickpeas, lentils and peas) according to the principles of sustainable farming and precision.** It is set up as a DSS, or rather an expert Decision Support System, a system that brings together a range of sources of information in order to produce simple and effective suggestions and alarms. A DSS does not take the place of an agricultural technician or businessperson, but rather integrates their experience, providing them with additional information allowing them to improve their decision-making processes with regards to the agronomic management of crops.

First implemented by Horta Srl in 2017, this consultation instrument can be accessed 24 hours a day and is available in real time via web-based platform, smartphone or tablet with access via a username and password.

### ***What is a DSS?***

A DSS is a computer platform that collects real-time crop data via sensors and scouting instruments (1), organises this data in cloud systems (2), processes the data collected with advanced modelling and big data techniques (3), and automatically integrates said data producing information, alarms and support for decision-making. Users can make use of this information for precise agronomic management of crops (5). The database also collects data regarding cultivations (6) in order to create a continuous flow of updated information between the crop, the DSS and the user (Figure 1).

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore



Fig. 1: Elements that make up a DSS.

## **Legumi.net®**

Legumi.net® is a fully innovative form of technical support because:

- it has a system architecture that allows for information regarding the crop and the cultivation environment to be fed into the algorithms and calculation processes in a continuous manner via sensors and monitoring activities.
- it is designed in a holistic manner that takes into account all the aspects of cultivation.
- it does not require any software to be installed on your PC. The system provides for the constant updating of the applications.
- it is capable of converting complex climatic and cultivation processes into simple and clear operational field decisions.

Legumi.net® is aimed at farms that cultivate legumes and aims to increase the yield, quality and healthiness of the products, reducing production costs and negative impacts on health and the environment in line with the modern principles of economic, environmental and social sustainability, with integrated production and IPM (Integrated Pest Management). The use of the DSS also allows users to actively keep the entire production process under control, guaranteeing better results for the agro-industrial sector. Legumi.net® allows contributors to in-field production to manage and monitor the production chain on a daily basis, receiving information on the progress of crops and the cultivation techniques used by suppliers, as well as quantify the ecological impact of raw materials entering processing plants.

Legumi.net® provides both economic and ecological value as it aims to provide clear, reliable and rapid decisional support aimed at increasing awareness of processes that regulate the ecosystem of the field, improve the quality of decisions regarding field management, make the most of

### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

available technical means, optimise the use of production factors, reduce production costs and carry out all possible actions in order to increase quality and quantity. Lastly, thanks to the relationship you sustain.net, the DSS aims to quantify and reduce environmental impact and preserve biodiversity.

### ***Agronomic support provided by legumi.net®***

**Weather trends** It is possible to access the relative weather station to receive real-time weather information, as well as trends for previous months, and 7-day forecasts for air, temperature, relative humidity and leaf wetness for the cultivation site.

**Soil preparation and nitrogen, phosphate and potassium fertilisation.** Legumi.net® provides advice on fertilisation with the main macro-elements (nitrogen, phosphate and potassium) both in pre-seeding and coverage using the soil nutrient balance method. This allows for the optimisation of timing and the quantity of fertiliser to be applied according to the type of soil, the weather, the expected yield, the type of crop and crop rotation.

**Sowing.** Legumi.net® provides information on the precise dose of seeds in accordance with the variety chosen, the type of soil, the weather, the geographic position of the field and the sowing data.

**Crop development.** Legumi.net® provides indications on the gradual progress of the phenological stages of the crop.

**Weed management.** Legumi.net® provides indications for both integrated and organic cultivation. With regards to integrated cultivation, the system provides information on permitted herbicides as well as details on the application of products in accordance with forecast weather conditions.

**Plant protection.** Legumi.net® allows users to monitor hazardous organisms such as fungi (*Ascochyta e Antracnosi*) and insects (Armyworm), aiding the farmer in assessing the need for intervention and choosing the most suitable plant protection products.

**Water balance.** The DSS allows for the estimating of soil water levels based on the analysis of the soil, crop root depth and rainfall recorded by the relative weather station, thus avoiding hydric stress in dry periods.

### ***Support from legumi.net for the valorisation of agricultural added value***

**Traceability.** The legumi.net® register of Cultivation Operations allows for the recording of all cultivation operations carried out in the field, from working the soil to the delivery of the grain. This allows for an overall view of all farm management interventions. **Sustainability.** legumi.net® allows for the assessment of the environmental impact of agricultural production in the field and in the company through the association with you sustain.net, a collection of indicators (Health, Soil, Air, Biodiversity, Energy, Water) that estimate the environmental impact of the cultivation.

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore



## **Yousustain.net®**

Yousustain.net® is a simple, complete and precise instrument for measuring the sustainability of agricultural production comprised of a collection of indicators capable of quantifying the sustainability of crop choices both in the field and in the company. The indicators on which Yousustain.net® is structured regard human health, air, soil, conservation of biodiversity, energy consumption and water use.

The instrument quantifies emissions and the use of resources, based on the analysis of the crop life cycle and predominantly agronomic aspects. In fact, alongside the typical indicators from the LCA (Life Cycle Assessment) method such as carbon footprint, water footprint, ecological footprint, acidification and eutrophication, use is also made of agricultural indicators such as carbon sequestration, soil coverage, erosion, efficiency in water use, fuel consumption etc., as well as aspects regarding biodiversity and the assessment of toxicological and eco-toxicological risk generated by chemical products used in the field.

With this new approach, the limits of LCA (reliability of the databases, rigidity of the methods, assessment of purely environmental aspects) can be overcome.

For legumes, the service is currently available for chickpeas, lentils and peas.

Yousustain.net® is an instrument created and implemented by Horta Srl in collaboration with the Cattolica University of Piacenza and with Life Cycle Engineering (LCE Srl) for the LCA indicators.

The calculation method has been certified by CCPB of Bologna and overall consists of 20 indicators.

### ***Political context and use of the environmental sustainability indicators***

In Europe, the development of a more environmentally respectful form of agriculture is accompanied by a series of directives and regulations; the main documents are: the regulation concerning the placing of plant protection products on the market (Regulation 1107/2009/EC), the Directive on the sustainable use of pesticides (2009/120/EC), the Directive regarding machinery for pesticide application (Directive 127/2009/EC), the regulation concerning statistics on pesticides (Regulation 1185/2009/EC), the Water Framework Directive (Directive 60/200/EC), the directive concerning the protection of waters against pollution caused by nitrates from agricultural sources (Directive 676/1991/EC) and the Directive on the sustainable use of pesticides (Directive

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

128/2009/EC). Since 2001, the European Directive (Directive 42/2001/EC) is pressing for the implementation of new shared methods for assessing the environmental impact caused by human beings. The directive promotes the use of instruments with the aim of orienting the sector towards a more sustainable and respectful development of the environment. In this context, the assessment of environmental impact through indicators serves as fundamental criteria for justifying or limiting certain agricultural practices and allows or limits the use of certain chemical substances.

Through the Directive on the sustainable use of pesticides for the agricultural sector (Directive 128/2009/EC), the European Commission has imposed the use of IPM (Integrated Pest Management) strategies in European Community countries since January 2014. Among the various rules, this last directive calls for the development of instruments and strategies to mitigate the risk presented through the use of pesticides and the identification of indicators in order to assess the risk for the environment and humans associated with the use of pesticides. Of equal importance is the identification of impact indicators to assess the level of sustainability either reached or feasible by farming companies.

In order to understand how directive 128/2009/EC considers as crucial the use of sustainability indicators,

a number of sections of the directive are shown below:

...“ *National Action Plans aimed at setting quantitative objectives, targets, measures, timetables and indicators to reduce risks and impacts of pesticide use on human health and the environment and at encouraging the development and introduction of integrated pest management and of alternative approaches or techniques in order to reduce dependency on the use of pesticides should be used by Member States in order to facilitate the implementation of this Directive.*”

... “*The National Action Plans shall also include indicators to monitor the use of plant protection products containing active substances of particular concern, especially if alternatives are available.*”

... “*Harmonised risk indicators as referred to in Annex IV shall be established. However, Member States may continue to use existing national indicators or adopt other appropriate indicators in addition to the harmonised ones.*”

Directive 128/209/EC has therefore done much to promote the use of sustainability indicators as they will become a criteria through which to access public financial contributions of both a European nature and, in the form of direct payments regarding rural development.

In fact the new 2021-2027 common agricultural policy will be ever-increasingly green as it will recognise the importance of developing a solid base of indicators that will allow to verify to what extent the subsidised measures contribute to the reaching of the planned objectives. The availability of reliable and measurable environmental indicators that are, at the same time, sensitive to the impact that actions in the field can realistically have will be fundamental in order to be able to access forms of public support.

It is in this light that the role of [yousustain.net](#)<sup>®</sup> becomes clear, with the development of methods that allow for the use of indicators to assess the level of sustainability reached by field cultivation of a certain crop. By using [yousustain.net](#)<sup>®</sup>, the user has the guarantee of receiving information

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

that enables the recognition of the impact generated by cultivation. The successive study of the results allows for the identification of points of criticality and provides indications on where and how to intervene. In other words, via [yousustain.net](#)<sup>®</sup> it is possible to favour production systems that allow the preservation of environmental resources (soil, water, biodiversity and fertility), reducing the environmental risks related to said agricultural practices, the protection of the health of agricultural and community workers, the creation of food products that are suitable in terms of quality, quantity and - consequentially the protection of financial earnings, as optimisation of resources provides benefits both from an environmental and economic point of view.

With regards to the emission of greenhouse gasses (Ghg) connected to farming activities (soil cultivation, crop fertilisation, animal farming etc.), these are mainly protoxide of nitrogen (N<sub>2</sub>O), carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>) and ammonium (NH<sub>4</sub>).

Through various studies in the cereal sector, Horta has demonstrated that 60-70% of the impact of cultivation is due to the use of fertilisers.

A valid method for the reduction of greenhouse gas emissions is the cultivation of legumes, whose capacity to fix atmospheric nitrogen and transform it into organic nitrogen has been known for some time. This allows for a reduction in synthetic nitrogen units administered to the crops, thus reducing the emission of greenhouse gases.

The application of these and other solutions that reduce the consumption and impact of fertilisers is now imperative as regulations are becoming ever increasingly stringent and the contribution demanded from the agricultural sector to reduce emissions is ever higher. This has been demonstrated with a number of European directives, one of which is the NEC directive (n° 2284/2016), which applies limits on human emissions of various substances including nitrogen oxides and ammonia (NH<sub>3</sub>) into the atmosphere. The objective in Italy consists in a 5% reduction in the ammonia emissions for 2005 by 2029. Farming activity is one of the main sources of these substances and therefore the identification and application of agricultural methods and techniques is essential in achieving this goal.

The use of Decision Support Systems (DSS) therefore allows for the optimisation of the amount of fertiliser used and the frequency of administration, in such a way as to considerably reduce emissions into the atmosphere.

[Yousustain.net](#)<sup>®</sup> therefore proves to be a response to the European call to develop instruments that allow farmers to move towards a more environmentally respectful form of cultivation management.

### ***Functionality***

Access to the service is exclusively via the website [www.horta-srl.com](http://www.horta-srl.com) and requires registration to obtain a username and password. For the Terre Bradaniche / Andriani production chain, [yousustain.net](#)<sup>®</sup> can be consulted via the [legumi.net](#)<sup>®</sup> platform.

Functionality in [legumi.net](#)<sup>®</sup> is exclusively for service administrators (Horta, Andriani e Terre Bradaniche); however, in the future, partner agricultural companies may be able to access the results.

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

The calculator is currently certified by CCPB (appendix 1) for the calculation of environmental impact via the following indicators: Human Tox Score, Dose area Index, Treatment Frequency Index, Carbon footprint, Carbon sequestration, Ecological footprint, Organic matter, Soil coverage, Erosion, Soil compaction, Biodiversity, Eco Tox Score, Fuel Use, Renewable fuel, Waste, Water footprint, Water supply, Water Use Tech Efficiency (WUTE), Eutrophication and Acidification. These indicators are divided into 6 compartments: health, air, soil, biodiversity, energy and water (Figure 3).




Fig. 3: A chart showing the indicators and the macro categories to which they belong, as well as a draft of the final display of results via a radar chart.

**HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza  
 Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.  
 Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share  
 Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore**

## HEALTH

### 1. Human Tox Score

This indicator assesses the toxicological risk (in terms of hazard) to human health following the use in the field of synthetic chemicals.

The toxicological profile is assessed for all fungicides, insecticides, herbicides, acaricides etc. recorded in the Register of Cultivation Operations.

By law, each plant protection product is attributed with a precise toxicological class and relative risk phrases (hazard statements). Furthermore, the plant protection product is applied in the field at a certain dosage per hectare and this dose is compared with the maximum dose permitted by the ministerial label. The toxicological information (intrinsic hazards presented by the plant protection product) is studied in relation to the dose applied in the field (exposure to hazard) in order to evaluate the overall toxicological risk of the plant protection product used in the field. The final evaluation takes into consideration all the plant protection products registered in the Register of Cultivation Operations, and the higher the final score, the higher the toxicological risk to the humans in the vicinity of the treated area (farm workers, bystanders and residents).

### 2. Dose Area Index

This index assesses the chemical exposure caused by each plant protection treatment carried out in the field. Exposure is quantified via comparison of the dose used in the field against the maximum permitted by the ministerial label and/or comparison of the area treated against the total area (the latter corresponding to the area of the production unit).

The application of a dose lower than that allowed according to the label, or the application of a product on an area smaller than the overall area, reduces the negative impact that the chemical molecules have on vegetable and animal organisms that are not the target of the treatment applied.

For example, a treatment carried out with 50% of the maximum allowed dose on 50% of the surface will subject the area of the production unit to an exposure to toxic substances that is 75% lower than a treatment using a full dose on the entire area.

The indicator takes into consideration the dose applied in the field, the maximum permitted dose according to the ministerial label, the surface area treated and the surface area of the entire production unit. The use of reduced doses and the application of the product on portions of the productive unit will guarantee lower exposure to chemicals and increased protection against natural enemies.

### 3. Treatment Frequency Index

This index assesses the number of times that a portion of land is treated with a plant protection product. All of the treatments carried out on the same portion of land during the farming season are combined. The more treatments carried out, the higher the chemical pressure on the land in question.

The index takes into account the surface area of the entire production unit and the area treated (which can either be lower or equal to the total area).

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## AIR

### 4. Carbon footprint

This index quantifies greenhouse gas emissions produced either directly or indirectly by human activity.

Calculation of the carbon footprint takes into account conversion factors issued by the IPCC (Intergovernmental Panel on Climate Change) in the fifth assessment report (AR5-2014). The standards used for reference are ISO 14040-44 and the Product Category Rules (PCR) issued by the International EPD system. The PCR identify specific rules and methods of assessment for each product category.

The main databases used are Ecoinvent 3.4 (2017), Agrifootprint 4.0 (2018) and Industry Data 2.0 (2018).

The carbon footprint can be expressed in two units of measurement: tons of CO<sub>2</sub> equivalent/ton of product (when referring to a quantity) or tons of CO<sub>2</sub> equivalent/hectare (when referring to a surface). In particular, it measures the impact of the production of goods (for example grain legumes) and all other human activities on the climate, taking into consideration all the greenhouse gases produced by various sources.

The carbon footprint is used to estimate the global warming potential (GWP) of each human activity or system. The identification and the quantification of emissions changes according to the system under examination. For examples, in agricultural systems, the focus is mainly on the emissions created by production and the agricultural use and disposal of fuel, fertilisers and pesticides.

Each greenhouse gas has a factor used to convert all the various types of emission into carbon dioxide" (CO<sub>2</sub>-eq.).

The carbon footprint is calculated as "carbon dioxide equivalent". A number of factors for the conversion of greenhouse gases (GHG) are used to convert greenhouse gas emission caused by the use of energy (pesticides, fertilisers, fuel, seeds) into carbon dioxide. Greenhouse gases (GHG) (for example carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), Nitrous oxide (N<sub>2</sub>O), hydrofluorocarbons (HFC), Perfluorocarbons (PFC), Sulphur hexafluoride (SF<sub>6</sub>), a number of particulates are multiplied by a conversion factor in order to obtain the overall ecological footprint of a process.

The CO<sub>2</sub> emissions of all the cultivation activities recorded by users of the Register of Cultivation Operations are calculated via algorithms and counted in order to obtain the overall impact of cultivation.

Our instrument calculates the carbon footprint by taking into account the impact of:

1) **fertilisers**. Users enter the fertilisers applied (name and dose per hectare) into the relative field. The system uses the registered name to understand the compounds in the fertilisers and their individual impact. This is then multiplied by the number of doses. Fertilising compounds can be urea, ammonium nitrate, ammonium sulphate, organic nitrogen, phosphate, potassium chloride, etc.

2) **plant health products**. Users record the plant protection products applied in the Register of Cultivation Operations (name and dose per hectare). The system calculates the impact per unit

#### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

according to the registered name. This is then multiplied by the dose used.

3) **seeds**. Users record the seeds used in the Register of Cultivation Operations (name of variety and dose per hectare). The system calculates the impact per unit according to the species, and this is then multiplied by the dose per hectare to gain the overall impact.

4) **other technical means** (e.g. plastic, paper, wood, steel, etc.) used during cultivation. users record the instruments used in the Register of Cultivation Operations (name and number per hectare).

5) **fuel**. Users record the cultural activities carried out in the field from the working of the soil to harvesting, including transportation of the harvest to the first storage point. For each activity (ploughing, seeding, fertilising, treating, watering, foliage management, harvesting, transportation etc.) the system estimates the fuel consumption on the basis of i) the name of the activity, ii) the slope of the land, iii) the texture of the soil (exclusively for the working of the soil), and iv) the depth the soil has been worked to (exclusively for the working of the soil). For example, for a disc harrow on clay soil with an inclination of less than 5% and a working depth of 20-25 cm, fuel consumption is estimated at 18 litres/hectare, while for a disc harrow on sandy soil with an inclination of less than 5% and working depth of 20-25 cm used on sandy soil, fuel consumption is estimated at 15.30 litres/hectare.

70% of impact derives from the use of fertilisers. Emissions of Nitrous oxide (N<sub>2</sub>O) come from the use of nitrogen fertilisers, working of the land, management of manure and cultivation of peat, and its greenhouse effect is almost 300 times that of carbon dioxide (300 is a conversion factor). Methane (CH<sub>4</sub>) is generated mainly by fermentation in the digestive systems of cattle, the cultivation of rice, manure and the management of wastewater, and is more than 20 times more potent than CO<sub>2</sub> in terms of its contribution to the greenhouse effect.

Conversion factors are available for estimated emissions over 20, 50 or 100 years. Our instrument takes into consideration conversion factors for an emission period of 100 years (Table 1).

Tab. 1: Conversion factors for methane (CH<sub>4</sub>) and nitrous oxide (also known as protoxide of nitrogen, N<sub>2</sub>O).

Substance	Global Warming Potential Carbon footprint kg CO <sub>2</sub> - eq./kg 20 years	Global Warming Potential Carbon footprint kg CO <sub>2</sub> - eq./kg 100 years	Global Warming Potential Carbon footprint kg CO <sub>2</sub> - eq./kg 500 years
CO <sub>2</sub>	1	1	1
CH <sub>4</sub>	72	25	7.6
N <sub>2</sub> O	289	298	153

The calculation of the indicator is based on internationally recognised variables, parameters and algorithms. An update of the parameters and method of calculation is currently under way.

The formulae used calculate the environmental impact of all the activities carried out and recorded in the Register of Cultivation Operations that result in emissions into the atmosphere of molecules that may contribute to the greenhouse effect.

#### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

## 5. Carbon sequestration

The indicator estimates all the carbon sequestered by vegetable fibre (both above and below ground) during the cultivation season.

The process of photosynthesis transforms molecules of carbon from their gaseous form (carbon dioxide) to their organic form. This process reduces the quantity of CO<sub>2</sub> present in the atmosphere, reducing the contribution to the greenhouse effect caused by the same. For each crop, an estimate based on the yield obtained is made of plant growth, and consequently carbon sequestration is calculated as tons of carbon sequestered per hectare.

The capturing of CO<sub>2</sub> by plants is in part countered by the amount released into the atmosphere from human activities during cultivation.

Carbon skeletons that make up the vegetable biomass are produced during vegetable growth. The process involves both the edible and non-edible parts of the cultivated plant.

The higher the amount of carbon sequestered, the higher the action to counter the emission of greenhouse gases due to human activity.

## SOIL

## 6. Ecological Footprint

The indicator assesses the biologically productive land and water necessary to provide the resources necessary for the production of a determined good or service and absorb emissions released due to said production.

By using this indicator, it is possible to estimate how much land and water would be required to regenerate the resources used by humankind.

The indicator can be expressed in various units according to whether it refers to a quantity or a surface area: global m<sup>2</sup> per hectare or global m<sup>2</sup> per ton of produce collected.

This indicator includes six elements for evaluation:

- The land required to produce energy. This consists of forest land necessary for the assimilation of emissions deriving from the use of fossil fuels (*Energy land*).
- the agricultural land for farmed produce (*crop land*).
- the grazing land necessary for farming (*grazing land*).
- the forest land required for the supply of wood (*forest land*).
- developed land (*built-up land*).
- the area of sea dedicated to the growth of resources for fishing (*fishing land*).

For agricultural crops, the only items relevant for the calculation of the indicator are *Energy land* and *Crop land*, while all the other items can be considered as unimportant for herbaceous crops. The calculation of the indicator is based on internationally recognised variables, parameters and algorithms.

The formulae used calculate the ecological footprint of all the activities carried out and recorded in the Register of Cultivation Operations which lead to a direct or indirect consumption of non-renewable resources.

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

## 7. Organic substance

The indicator assesses the percentage of organic substances present in the soil.

The higher the content of organic substances, the higher the fertility of the land and the durability of the productive process under way.

## 8. Soil Coverage

The indicator describes the number of days per year in which the soil is covered by vegetation or crop residue. The higher the number of days in which the land is covered by organic material, the higher the quality of the soil.

Land which is covered by crop residue will have more organic substances and be less prone to erosion and to the loss of nitrogen through leaching and volatilization.

## 9. Erosion

The indicator estimates the tons of land lost per hectare per year due to erosion caused by precipitation.

With the use of the methodology implemented by *Wischmeyer and Smith (1978)* and summarised in the USLE (*Universal Soil Loss Equation*) based on the adaptation by Bazzoffi P. (2013), a method of calculation has been set up which takes into consideration:

- mm of precipitation/month.
- the texture of the soil and the organic substance content.
- the slope of the plots.
- soil management (e.g. grassing).
- the water system used.
- the way the soil has been worked.

The higher the level of erosion, the lower the sustainability of the production process.

## 10. Soil compaction

The indicator assesses the risk of soil compaction. Excessive soil compaction leads to water stagnation and restricted crop development due to poor soil ailing (root suffocation caused by compacting). The method adopted considers the effect of 5 factors on soil compaction:

- the texture of the soil.
- precipitation and irrigation.
- the weight of farm vehicles and ruts caused by tyres or tracks.
- the number of times the field is crossed.
- soil management (for example grassed land rather than bare).

A score is attributed to each factor. The higher the resulting average, the lower the sustainability of the soil management method applied.

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

## BIODIVERSITY

### 11. Biodiversity

The indicator assesses the level of company biodiversity through an assessment of the use of the land. In accordance with the various types of use, it is possible to indirectly estimate the level of biodiversity of the entire farm.

For each possible use of the land, a biodiversity score of between 0 and 100 is assigned, where 0 represents no organisms and therefore an absence of biodiversity, and 100 represents the highest possible level of biodiversity for the area. For example, a tarmacked area would have a biodiversity score of 0, while a centuries-old forest would have a biodiversity score of 100. All other uses of the land would be rated at between 1 and 99.

The biodiversity score takes into consideration infrastructure, herbaceous crops, tree crops, the borders of the plots, ecological areas, uncultivated areas, meadows, pastureland and any water networks present. The scores are then weighted for the relative surface areas in relation to the total surface area of the farm in order to obtain an overall final score.

The higher the final biodiversity score, the higher the diversity of animals and plants present in the farm area.

### 12. Eco Tox Score

The indicator assesses the eco-toxicological risk (considered as a hazard) to the health of the aquatic and terrestrial ecosystem posed by chemical substances used in the field. The toxicological profile is assessed for all fungicides, insecticides, herbicides, acaricides etc. recorded in the Register of Cultivation Operations.

According to law, each plant health product is attributed with a precise eco-toxicology class and risk phrases (hazard statements). Furthermore, the plant protection product is applied in the field at a certain e per hectare and this is compared with the maximum dose permitted by the ministerial label. The toxicological information (intrinsic hazards presented by the plant protection product) is studied in relation to the dose applied in the field (exposure to hazard) in order to evaluate the eco-toxicological risk of the plant protection product used in the field.

The final evaluation takes into consideration all the plant protection products registered in the Register of Cultivation Operations, and the higher the final score, the higher the eco-toxicological risk to the agricultural ecosystem.

## ENERGY

### 13. Fuel use

This indicator counts the litres of fuel recorded in the Register of Cultivation Operations. The higher the overall level of fuel consumption per ton of product or per hectare, the higher the environmental impact and the impact on the consumption of non-renewable resources.

### 14. Renewable fuel

The indicator provides an assessment of the willingness of the farm to consume fuel produced from renewable sources.

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

The higher the percentage of consumption per ton, the lower the environmental impact and the impact on the consumption of non-renewable resources.

## 15. Waste

The indicator provides an assessment of the management of farm waste. The assessment takes into consideration the following types of waste:

- residues of plant health products and from the washing of equipment.
- crop residue management.
- materials for ties (\*).
- nets and sheets (\*).
- materials for plant supports (\*).
- posts used for tree planting (\*).

A score is attributed to each category of waste, and the higher the overall average figure (a score between 0 and 5), the higher the environmental impact and the impact on the consumption of non-renewable resources, and therefore the lower the sustainability for this indicator.

\* *exclusively for crops that use these materials.*

## WATER

### 16. Water Footprint H<sub>2</sub>O

The indicator measures the water footprint of the cultivation system and therefore the water consumption of the production process. It is expressed in terms of volume of water used, evapotranspired and polluted during the production process.

The indicator can be expressed in various units according to whether it refers to a quantity or a surface area: m<sup>3</sup> of water per ton or m<sup>3</sup> of water per hectare, or litres of water per ton or litres of water per hectare.

Specifically, this indicator is made up of three components:

- **Green Water:** assessing the water that evapotranspires from the plants over the entire crop season and therefore the rainwater used by the plant.
- **Blue Water:** which takes into account any irrigation water used by the production system, including industrial consumption for the manufacturing of fertilisers and plant health products used in the field.
- **Grey Water:** which is the water required to dilute the contaminants present in the soil system water until they reach a level permitted by law or their natural concentration. This sub-indicator also takes into account the water necessary in order to dilute water polluted by nitrogen lost during leaching or through surface runoff caused by heavy precipitation.

The calculation of the indicator is based on internationally recognised variables, parameters and algorithms. The formulae used calculate the water consumption of all the activities carried out and recorded in the Register of Cultivation Operations which lead to a direct or indirect consumption of water.

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## 17. Water supply

The indicator assesses the sustainability of the type of irrigation water used in the field. Sources of irrigation water that favour the use of wastewater, rainwater or desalted water are considered to be more sustainable than water sourced from surface or underground reservoirs.

## 18. Water Use Technical Efficiency (WUTE)

The indicator assesses the sustainability of the irrigation method used in the field.

Methods that reduce waste, such as localised irrigation and spraying with large irrigation booms, are considered to be more sustainable than methods such as submerging and flood irrigation, which are low in sustainability due to their lack of efficiency.

## 19. Acidification

The indicator quantifies emissions into the air of acid gases with acidifying properties, such as nitrogen oxides (NO<sub>x</sub>), sulphur oxides (SO<sub>x</sub>) and NH<sub>3</sub> released by production activities (such as, for example, combustion of petroleum products and the use of fertilisers).

When combined with water vapour in the atmosphere, these substances produce acid rain that alters aquatic ecosystems and scours nutrients from the soil.

Acidified water basins are less hospitable for a range of animal and plant species which, in situations of excessive accumulation of oxides, can also die, reducing the aquatic biodiversity of the area. The indicator takes into consideration all of the potential substances responsible for the acidification of water and soil, such as sulphur dioxide (SO<sub>2</sub>), sulphur trioxide (SO<sub>3</sub>), nitrogen dioxide (NO<sub>2</sub>), ammonia (NH<sub>3</sub>) and nitrous oxide (NO), as well as hydrochloric acid (HCl) and hydrofluoric acid (HF), all substances that can lead to acid rain and the progressive acidification of the soil.

The reference substance is sulphur dioxide (SO<sub>2</sub>) and the indicator can be expressed in various units of measurement according to whether the amount in question is a quantity or surface area: kg of SO<sub>2</sub> equivalent/ton of product or kg SO<sub>2</sub> equivalent/hectare. The word equivalent will hereinafter be abbreviated as “eq”. Each substance with acidifying properties has a conversion factor allowing all of the various types of substance emission to be expressed as sulphur dioxide.

The conversion factors allow for a value of overall emission of SO<sub>2</sub>eq. to be obtained, therefore obtaining an assessment of potential acidification.

For example, a molecule of NH<sub>3</sub> has an acidifying effect of 1.88 molecules of SO<sub>2</sub>, while a molecule of protoxide of nitrogen (N<sub>2</sub>O, derived from the volatilisation of nitrogen distributed in the field) has an acidifying effect of 0.7 molecules of SO<sub>2</sub> (Table 2).

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

Tab. 2: Conversion factors for various substances responsible for the acidification of ecosystems.

Substance	Acidification potential (AP <sub>i</sub> in kg SO <sub>2</sub> -eq./kg)
SO <sub>2</sub>	1
NO	1.07
N <sub>2</sub> O	0.7
NO <sub>x</sub>	0.7
NH <sub>3</sub>	1.88
HCl	0.88
HF	1.6

The calculation of the indicator is based on internationally recognised variables, parameters and algorithms. The formulae used calculate the potential acidification deriving from all the activities carried out and recorded in the Register of Cultivation Operations that result in emissions into the atmosphere of highly acidifying strength.

## 20. Eutrophication

The indicator quantifies the effect on the aquatic ecosystem of the artificial addition of phosphate and nitrogen nutrients to the soil. These nutrients are supplied via fertilisers used during cultivation.

Quantities that exceed the actual requirements of the crops and/or particularly rainy seasons can lead to an excessive quantity of nitrates and phosphates in the aquatic environments surrounding the cultivated areas, creating consequential toxicity (an asphyxial and excessively nutrient-loaded aquatic environment) for aquatic organisms.

The indicator takes into account all the potential substances responsible for the eutrophication of marine and fresh water, such as phosphate ion (PO<sub>4</sub><sup>3-</sup>), from phosphate fertilisers, and nitrogen dioxide (NO<sub>2</sub>), ammonia (NH<sub>3</sub>), nitrous oxide (NO<sub>x</sub>) and nitrate (NO<sub>3</sub>) from nitrate fertilisers; all substances that can lead to an excessive accumulation of nutrients in surface fresh water through their progressive eutrophication.

The reference substance is phosphate ion (PO<sub>4</sub><sup>3-</sup>) and the indicator can be expressed in various units of measurement according to whether the amount in question is a quantity or surface area: kg of PO<sub>4</sub> equivalent/ton of product or kg PO<sub>4</sub> equivalent/hectare. The word equivalent will hereinafter be abbreviated as “eq”. Each substance with eutrophying properties has a conversion factor allowing all of the various types of substance to be expressed as phosphate ion.

The conversion factors allow for a value of overall emission of PO<sub>4</sub>eq. to be obtained, therefore obtaining an assessment of aquatic eutrophication.

For example, a molecule of NH<sub>3</sub> has a eutrophying effect equal to 0.35 molecules of PO<sub>4</sub>, whereas a molecule of phosphoric acid has a eutrophying effect of 0.95, therefore almost the same as a molecule of phosphate ion.

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

Tab. 3: Conversion factors for various substances responsible for the eutrophication of aquatic ecosystems.

Substance	Eutrophication (kg PO <sub>4</sub> -equiv./kg)
PO <sub>4</sub>	1
NO <sub>2</sub>	0.13
NO <sub>3</sub>	0.1
NH <sub>3</sub>	0.35
H <sub>3</sub> PO <sub>4</sub>	0.95
N (in the soil and in the water)	0.42
P (in the soil and in the water)	3.06

The calculation of the indicator is based on internationally recognised variables, parameters and algorithms.

The formulae used calculate the aquatic eutrophication deriving from of all the activities carried out and recorded in the Register of Cultivation Operations that result in the dispersion of phosphate and nitrogen substances with eutrophying effects into water.

### ***Methodological steps in the use of [yousustain.net](#)<sup>®</sup> via [legumi.net](#)<sup>®</sup>***

#### **1) Creation of Production Units in [legumi.net](#)<sup>®</sup> and insertion of company data: general aspects.**

The use of the impact calculator requires the initial provision of information regarding the cultivated surface for which environmental impact is to be calculated. In order to obtain the calculation of environmental sustainability, each user needs to create a Production Unit in [legumi.net](#)<sup>®</sup>.

As well as completing the Production Units, the user is also required to complete the company information. Once the assessment of environmental impact has been obtained, this allows a report to be printed with the impact values combined with individual personal and geographic details. In further detail, by clicking in the relative section, it is possible to view a screen where information regarding the company, the registered headquarters and the legal representative must be recorded together with information of an environmental nature regarding the use of fuel and the management of waste, as well as information regarding the management of agricultural land.

#### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di




**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## 2) Completion of the Register of Cultivation Operations and calculation of sustainability indicators

For each Production Unit, the Register of Cultivation Operations allows the recording of all the operations carried out in the field, from the working of the soil to the consignment of the product resulting from the Production Unit. Furthermore, at the end of the season, it allows for the printing in PDF format of all the recorded operations, in other words the traceability documentation and the farming logbook. The values relating to environmental impact can only be viewed if the Register of Cultivation Operations is completed correctly and the final yield is recorded.

## 3) Impact consultation

Once the Register of Cultivation Operations has been completed, by using the  icon, the user (not the farm, but rather Andriani, Terre Bradaniche and Horta) can view the impact values for the individual indicators and/or an overall assessment of the entire Production Unit. The impact of the indicators (individually or grouped) can be viewed via a radar graph (figure 5) or in table form (figure 6). Further detail can be accessed by viewing graphs describing the score obtained by each indicator in a scale from 0 to 5 (figures 7, 8 and 9) and graphs that describe the evolution over time of the indicator throughout the entire crop season) figures 10 and 11).

The results of the environmental impact indicators can be viewed:

- all together in a single document.
- as individual indicators.
- as an aggregation of indicator groups belonging to a determined category.

Furthermore, the results of the environmental impact indicators can be viewed:

- by individual Production Unit.
- by groups of different Production Units.
- by all the Production Units for a single crop.
- by all the Production Units belonging to a farm.

### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

Sintesi	Salute	Aria	Acqua	Suolo	Biodiversità	Energia
---------	--------	------	-------	-------	--------------	---------

La media dei 6 indicatori calcolati è: 1,6




Fig. 5: example of a view of the macro categories of sustainability indicators.

#### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza  
 Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.  
 Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share  
 Capital €30.000,00 fully paid-up



Spin Off di  
**UNIVERSITÀ  
 CATTOLICA**  
 del Sacro Cuore

Sintesi	Salute	Aria	Acqua	Suolo	Biodiversità	Energia	Caratteristiche UP		Tabella dati
Comparto							Punteggio (0 - 5)	Valore	Unità Di Misura
<b>Salute</b>							<b>0,6</b>		
						Human Tox Score (HTS)	0,0	4	-
						Dose Area Index (DAI)	0,0	0,5	-
						Treatment Frequency Index (TFI)	2,0	2	-
<b>Aria</b>							<b>2,6</b>		
						Carbon Footprint (CF)	2,0	0,266	t CO <sub>2</sub> eq/t di produzione
						Carbon Sequestration	5,0	1,212	t di Carbonio/ha
<b>Suolo</b>							<b>0,9</b>		
						Ecological Footprint (EF)	5,0	2,489	global ha/t di produzione
						Sostanza organica	-	-	%
						Soil Coverage	0,0	221	giorni
						Erosione	0,0	0	t suolo/ha
						Soil compaction	1,3	1,3	-
<b>Biodiversità</b>							<b>3,5</b>		
						Biodiversity	5,0	0	-
						Eco Tox Score (ETS)	0,0	4,8	-
<b>Energia</b>							<b>0,0</b>		
						Fuel use	0,0	30,8	l carburante/ha
						Renewable fuel	-	-	-
						Waste	-	-	-
<b>Acqua</b>							<b>2,0</b>		
						Water Footprint	5,0	2.400	m <sup>3</sup> acqua/t di produzione
						Water supply	0,0	0	-
						Water Use Technical Efficiency	0,0	0	-
						Acidification	0,0	0,003	SO <sub>2</sub> eq t/t di produzione

Fig. 6: example of a view of the macro categories and the sustainability indicators with their relative scores and absolute values.




Fig. 7: example of a view of the scores for the three indicators belonging to the compartment for "Health".

## HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza  
 Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.  
 Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share  
 Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore




Fig. 8: example of a view of the scores for the two indicators belonging to the compartment for “Air”




Fig. 9: example of a view of the scores and the values for the indicator via a tooltip that appears when the mouse pointer is near a black triangle.

Figures 10 and 11 below describe the detailed graphs displaying how certain indicators evolve over time. If a user registers the activities carried out in the field during the crop season, it is possible to monitor the progressive increase of certain impact indicators. This can be of great potential interest in understanding what activities and choices have the most impact, therefore allowing the identification of technical practices or means to be abandoned and those that on the contrary are to be encouraged as they are more sustainable.

## HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza  
 Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.  
 Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share  
 Capital €30.000,00 fully paid-up



Spin Off di  
**UNIVERSITÀ  
 CATTOLICA**  
 del Sacro Cuore




Fig. 10: example of a detailed view of the score for the “Fuel use” indicator. The tooltip shown appears when the mouse indicator is near to the black point on the line. Each point corresponds to a cultivation activity recorded in the Register of Cultivation Operations.




Fig. 11: example of a detailed view of the score for the “Carbon Footprint” indicator. The black line indicates the progressive increase in the indicator over the course of the season.

Yousustain.net® therefore allows for a true quantification of the impacts and overcome sustainability certification based on self-certification and imprecise methods for the assessment of impacts that do not take into account the validity of the actual operations carried out in the field.

## HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza  
 Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.  
 Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share  
 Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

## Appendix 1: Yousustain.net® product certification

HWI 0100  
REV. 01  
01/2015-02/17



**CCPB SRL**  
Viale Masini 36 - 40126 Bologna  
Tel. 051/6089811 fax 051/254842 e-mail [ccpb@ccpb.it](mailto:ccpb@ccpb.it)  
Registro Imprese BO P.IVA e CF 02469721209 - REA N.441882 Capitale Sociale € 706.920 L.v.

**AREA CERTIFICAZIONE DI PRODOTTO**  
PRODUCT CERTIFICATION BRANCH

Certificato N° Certificate No.	03/2016/SE	Revisione Revision No.	01
-----------------------------------	------------	---------------------------	----

SI ATTESTA CHE IL SERVIZIO  
This is to certify that the services

**YOUSUSTAIN.NET™**  
DELL'AZIENDA  
OF THE COMPANY

**HORTA SRL**  
INDIRIZZO SEDE LEGALE E OPERATIVE  
REGISTERED AND OPERATING OFFICE  
**Via Egidio Gorra, 55 – 29122 Piacenza**

SONO CONFORMI ALLA NORMA TECNICA  
COMPLY WITH THE STANDARD

**DTS 01 REV. 0**  
"Documento tecnico di servizio – Servizi web interattivi"

Data prima emissione First issue date	Data di modifica Modification date
2016/06/01	2019/06/01

**CCPB SRL**  
Amministratore Delegato  
General Manager  
**FABRIZIO PIVA**

Il presente certificato è valido a condizione che il licenziatario operi in conformità a quanto previsto dalla Norma Tecnica di riferimento e rispetti i documenti contrattuali stipulati con CCPB. La validità del presente certificato è subordinata alla sorveglianza periodica effettuata da CCPB. L'elenco delle organizzazioni coperte da certificato è disponibile presso la sede di CCPB.  
Lo stato di validità del presente certificato può essere verificato consultando il registro dei prodotti certificati su [www.ccpb.it](http://www.ccpb.it); eventuali ulteriori richieste possono essere indirizzate a: CCPB SRL Viale Masini 36 – 40126 Bologna Tel. +39-051-6089811 Fax. +39-051-254842 e\_mail [ccpb@ccpb.it](mailto:ccpb@ccpb.it).  
Il certificato autorizza l'azienda a rilasciare Dichiarazioni di Conformità per i prodotti oggetto di certificazione.  
This certificate is valid on condition that the licensee fulfills the requirements of the applicable standard and of the contractual agreement signed with CCPB. The validity of this certificate is subjected to periodical surveillance of CCPB. The list of the organizations covered by certificate is available at CCPB head office.  
The validity of this certificate can be verified on the register of certified products available on [www.ccpb.it](http://www.ccpb.it); further information can be forwarded to: CCPB SRL Viale Masini 36 – 40126 Bologna Tel. +39-051-6089811 Fax. +39-051-254842 e\_mail [ccpb@ccpb.it](mailto:ccpb@ccpb.it).  
The certificate authorizes the company to issue declarations of conformity only for the products listed in the certificate.

Pag. 1 di 1

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

**Sustainability Project**  
**Legumi.net® – Yousustain.net®**  
**Horta - Andriani – Terre Bradaniche**

**Results section**

**Crop year 2019**



**20 December 2019**

**HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## Contents

### General overview of yousustain.net® indicators

- **Health compartment**
- **Air Section**
- **Soil compartment**
- **Biodiversity Section**
- **Energy compartment**
- **Water compartment**
- **Average score per compartment**
- **Final score**

**Performance of the use of technical means. Data per ton of product**

**Performance of the use of technical means. Data per hectare**

**How to improve**

PU: Production Unit

RCO: Register of Cultivation Operations

Standard Humidity Chickpeas 11%

Standard humidity Lentils 11%

Standard humidity peas 14%

Standard impurity threshold Peas 7%

Impurity threshold peas 7%

Impurity threshold peas 7%

Yousustain.net® score:

range between 0 and 5. 0 indicates maximum sustainability, while 5 indicates no sustainability.

### **HORTA S.r.l.**

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## General overview

Table 1 - areas and production 2019

Crop year 2019	Total	Chickpea	Lentil	Proteic pea
Total surface area (all Pus) (ha)	278.5	106.9	164.6	7.0
Total PU production (t at 11% humidity for chickpeas and lentils and 14% for proteic peas)	185.5	63.2	114.8	7.5

Table 2 - Production parameters, environmental indicators and indicators for performance of the use of technical means per hectare for chickpeas, lentils and peas. Average data for organic and conventional cultivation.

Index (units of measurement)	Organic chickpea	Conv. chickpea	Chickpea average	Organic lentil	Conv. lentil	Lentil average	Organic proteic pea	Total average
Yield without impurities at conventional humidity (t/ha at conventional humidity)	0.90	0.50	<b>0.64</b>	0.82	0.56	<b>0.65</b>	1.07	<b>0.66</b>
Carbon Footprint per hectare (CO2 eq t/ha)	0.53	0.45	<b>0.48</b>	0.42	0.62	<b>0.55</b>	0.44	<b>0.52</b>
Water Footprint per hectare (H2O m3/ha)	1992.00	1168.57	<b>1468.00</b>	4698.20	3453.00	<b>3868.07</b>	1063.00	<b>2786.37</b>
Fuel consumption per hectare (l/ha)	119.25	82.29	<b>95.73</b>	75.80	101.60	<b>93.00</b>	83.00	<b>93.74</b>
Nitrogen distributed per hectare (kg/ha)	0.00	6.50	<b>4.14</b>	0.04	7.08	<b>4.73</b>	0.00	<b>4.31</b>
Phosphate distributed per hectare (P2O5 kg/ha)	0.00	14.86	<b>9.45</b>	0.00	22.36	<b>14.91</b>	0.00	<b>12.13</b>
Fertilisers per hectare (kg/ha)	0.00	50.00	<b>31.82</b>	1.20	46.12	<b>31.15</b>	0.00	<b>30.27</b>
Plant health products per hectare (kg/ha)	0.00	0.51	<b>0.32</b>	0.00	0.45	<b>0.30</b>	0.00	<b>0.30</b>

### HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share


Capital €30.000,00 fully paid-up




Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

Graph 1: Total Production Units. Only PUs with complete records have been counted.



Graph 2: Total Production Units. Only PUs with complete records have been counted. Subdivision by crop.



Graph 3: Total area (hectares). Only PUs with complete records in the RCO have been counted.

HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up




Spin Off di


UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore




Graph 4: Total area (hectares). Only PUs with complete records in the RCO have been counted. Subdivision by crop.




Graph 5: Total production (t) without impurities at conventional humidity. Only PUs with complete records in the RCO have been counted.




Graph 6: Total production (t) without impurities at conventional humidity. Only PUs with complete records in the RCO have been counted. Subdivision by crop.






Graph 7: Average yield (t/ha) without impurities at conventional humidity. Only PUs with complete records in the RCO have been counted.



Graph 8: Average yield (t/ha) without impurities at conventional humidity. Only PUs with complete records in the RCO have been counted. Subdivision by crop.





HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.




Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di


UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

## Indicatori yousustain.net®

### Health Section

The limited use of plant health products also in conventional cultivation has guaranteed the achieving of low scores for all three crops and for all three indicators.






## Air Section

In this section, the low yields led to high scores (over 4) for chickpeas and proteic peas. Lentils saw the recording of lower scores, above all for organic production.

The *Carbon Footprint* and *Carbon Sequestration* indicators are heavily dependent on final yields, and therefore low yields lead to an attribution of environmental impact on less agricultural product harvested. On the contrary, high yields allow the distribution of environmental impact over a larger production quantity, rendering the crop more sustainable. Furthermore, with high yields, there is increased photosynthetic activity and therefore increased atmospheric carbon sequestration (this leads to an increased production of biomass, lower environmental impact and a consequential reduction in indicator scores).



HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore

HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up




Spin Off di


**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



## Soil Section

Again, due to low yields below average levels, the *Ecological footprint* indicator returned maximum scores. Low sustainability values (scores of over 3) were also recorded for the *Organic substance* and *Soil coverage* indicators. This suggests that the land therefore has a generally low organic substance content and the soil is left bare (without crops or mulch) for many months of the year. This leads to a loss of fertility and an increased tendency for the development of weeds.





HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di




**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore




## Biodiversity Section

Farms in the area that cultivate legumes are characterised by a low variation in soil management. The majority of farms are dedicated to sowing, with very limited rotation over time. Furthermore, the lack of alternative uses for the land and the general lack of areas that favour biodiversity have resulted in *Biodiversity* indicator scores that are always higher than 3.


For the *Eco Tox Score* indicator, thanks to the scarce use of plant health products and the use of more eco-sustainable products, the final score is very low, demonstrating limited pollution of the surrounding agricultural ecosystem.






## Energy compartment

Fuel consumption resulted average (scores between 2 and 3) although the values are higher for organic chickpeas. Renewable fuel is used rarely (*Renewable fuel* indicator scores almost at maximum for all the crops). On a national level, on average 7% of fuel on sale is obtained from renewable sources.





## Water compartment

All the indicators in the water section have very low scores with the exception of the *Water Footprint indicator*. This depends on the final yield, and therefore low yields have a negative impact on the indicator. However, with regards to organic proteic peas, the lowest possible value was recorded (0.00), evidence of the reduction in the consumption of water necessary for the production of a ton of organic proteic pea grain.

The *Water supply* and *WUTE (Water Use Technical Efficiency)* indicators have zero scores as crop irrigation has never been carried out for the crops examined.

The *Acidification* and *Etrophication* indicators have very low values as the plant health products and fertilisers used were modest in quantity and had no negative effect on the quality of rainwater (acidification) or surface water (etrophication of land-based bodies of water).

HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.







Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up


Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore



## Average score per section



HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.


Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

UNIVERSITÀ  
CATTOLICA  
del Sacro Cuore




On assessing the average scores per compartment, it is seen that the most significant problems (highest scores) are to be found in the Air sections. With the exception of the Energy and Air sections, there is no particular difference seen in scores with the variation of crops and crop management. In terms of water, peas prove to be more sustainable than chickpeas and lentils, while in terms of energy, organic lentil production proves to be the most sustainable.


In general, for organic cultivation, slightly lower scores can be seen (more sustainable) for the Air, Water and Biodiversity sections, while organic management has more impact (higher scores) than conventional farming for the Energy section for chickpeas and Soil section for lentils due to increased work for the management of weeds. This higher level of work in fact results in an increased use of fuel, reduces organic substance as it favours mineralisation and increases the risk of erosion.

## Final score

Species	Crop system	Health	Air	Soil	Biodiversity	Energy	Water	Average
Chickpea	Organic	0.00	4.25	2.73	2.63	3.01	2.08	<b>2.45</b>
Chickpea	Conv.	0.17	5.00	2.74	2.73	2.38	2.27	<b>2.55</b>
Lentil	Organic	0.00	2.96	2.83	2.80	1.99	2.00	<b>2.10</b>
Lentil	Conv.	0.32	3.76	2.57	2.82	2.32	2.09	<b>2.31</b>
Pea	Organic	0.00	5.00	2.75	2.80	3.02	0.00	<b>2.26</b>



There are no significant differences between the crops and the different cultivation management methods. Only chickpeas cultivated with biological farming obtained an average final score for all the PUs and all the indicators that was lower than the other situations (a value of 2.1 compared to the general average of 2.33).




## Performance of the use of technical means: data per ton produced


The units of nitrogen distributed per hectare proved to be modest and usually no more than 30 units per ton harvested. However, the amount of phosphate per ton harvested was higher (values of between 32 and 75 units). The amounts of fertilisers for organic lentils were particularly high.

In conventional management, an average of 1 - 1.5 kg of plant health products were used, while this value is reduced to 0 for organic management.

Fuel consumption per ton of grain harvested was high for chickpeas (more than 200 litres/t for both organic and conventional farming) and for lentils (more than 150 litres/t of organic lentils and 250 litres/t for conventional lentils). On the contrary, proteic peas resulted in a very low level of fuel consumption (78 litres).

Considering the reduced production levels, the value of the seed used per ton produced is very high for all crops, above all for chickpeas and lentils.





## Performance of the use of technical means: data per hectare


The Water Footprint per hectare shows how lentils have a lower impact compared to other crops.


For the Carbon Footprint indicator, there is a higher value for conventional lentils and very similar values for the other crops.

Fuel consumption is at very different levels for the various crops. Conventional lentils have the highest levels of consumption, followed by organic chickpeas, conventional chickpeas and organic lentils, while the proteic pea has much lower levels of consumption (78 litres/ha).

The use of fertiliser is higher for conventional crops, and in fact lentils and chickpeas have values of approximately 50 kg per hectare. Only conventional cultivation produces values for the use of plant health products and phosphate fertilisers, and even here the levels are very low.

Lastly, with regards to the use of seeds, the values for organic and conventional chickpeas coincide, while there is a substantial reduction in use between conventional and organic lentils





HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up

Spin Off di



**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore

## How to improve

- 1) Increase yield.
- 2) Reduce fertilisers for chickpeas and lentils, particularly with conventional cultivation.
- 3) Reduce the number of months of bare earth (without crops)
- 4) Use cover crops to:
  - increase organic substance.
  - avoid the spreading of weeds.
  - reduce fuel consumption in conventional regimes.

HORTA S.r.l.

Registered Headquarters: Via Egidio Gorra 55, 29122 Piacenza

Operational Headquarters: Via Sant'Alberto 327, 48123 Ravenna - c/o Az.

Agricola Cà Bosco VAT n./Tax Code 01529030338 - REA: PC-0170291 - Share

Capital €30.000,00 fully paid-up



Spin Off di

**UNIVERSITÀ  
CATTOLICA**  
del Sacro Cuore